

Spinal Cord Stimulation for Chronic Pain Selective Bibliography

Practice Guidelines and Position Statements

American Society of Anesthesiologists. Practice Guidelines for Chronic Pain Management: An Updated Report by the American Society of Anesthesiologists Task Force on Chronic Pain Management and the American Society of Regional Anesthesia and Pain Medicine. *Anesthesiology*. 2010 Jan 29. [Epub ahead of print]

British Pain Society. Spinal cord stimulation for the management of chronic pain: Recommendations for best clinical practice. April 2009. (www.britishpainsociety.org/book_scs_main.pdf) (Verified 2/23/10)

National Institute for Health and Clinical Excellence. Spinal cord stimulation for chronic pain of neuropathic or ischaemic origin. NICE technology appraisal guidance 159. October 2008. (www.nice.org.uk/TA159) (Verified 2/23/10)

North R, Shipley J, Prager J, et al. Practice parameters for the use of spinal cord stimulation in the treatment of chronic neuropathic pain. *Pain Med*. 2007 Dec;8 Suppl 4:S200-75.

Cruccu G, Aziz TZ, Garcia-Larrea L, Hansson P, Jensen TS, Lefaucheur JP, Simpson BA, Taylor RS. EFNS guidelines on neurostimulation therapy for neuropathic pain. *Eur J Neurol*. 2007 Sep;14(9):952-70.

Boswell MV, Shah RV, Everett CR, et al. (American Society of Interventional Pain Physicians). Interventional techniques in the management of chronic spinal pain: evidence-based practice guidelines. *Pain Physician*. 2005;8:1-47.

Kirkpatrick AF. Reflex sympathetic dystrophy / complex regional pain syndrome (RSD/CRPS). Clinical practice guidelines (3rd edition). International Research Foundation for RSD/CRPS, 2003.

Stanton-Hicks M, Burton AW, Bruehl SP, et al. An updated interdisciplinary clinical pathway for CRPS: report of an expert panel. *Pain Practice* 2002;2:1-16.

North American Spine Society. Unremitting low back pain. LaGrange (IL): North American Spine Society (NASS); 2000. 96 p.

Systematic Reviews and Meta-Analyses

Simpson EL, Duenas A, Holmes MW, Papaioannou D, Chilcott J. Spinal cord stimulation for chronic pain of neuropathic or ischaemic origin: systematic review and economic evaluation. *Health Technol Assess*. 2009 Mar;13(17):iii, ix-x, 1-154.

Frey ME, Manchikanti L, Benyamin RM, Schultz DM, Smith HS, Cohen SP Spinal cord stimulation for patients with failed back surgery syndrome: a systematic review. *Pain Physician*. 2009 Mar-Apr;12(2):379-97.

Taylor RS. Spinal cord stimulation in complex regional pain syndrome and refractory neuropathic back and leg pain/failed back surgery syndrome: results of a systematic review and meta analysis. *J Pain Symptom Manage* 2006;31:S13-S19.

Taylor RS, Van Buyten JP, Buchser E. Spinal cord stimulation for complex regional pain syndrome: A systematic review of the clinical and cost-effectiveness literature and assessment of prognostic factors. *European Journal of Pain* 10 (2006) 91-101.

Taylor RS, Van Buyten JP, Buchser E. Spinal cord stimulation for chronic back and leg pain and failed back surgery syndrome: a systematic review and analysis of prognostic factors. *Spine* 2005;30:152-60.

“Spinal Cord Stimulation for Neuropathic Pain: Health Technology Literature Review.” Medical Advisory Secretariat, Ontario Ministry of Health and Long-Term Care, Toronto, Ontario, Canada. March 2005.

Cameron T. Safety and efficacy of spinal cord stimulation for the treatment of chronic pain: a 20-year literature review. *J Neurosurg (Spine 3)* 2004;100:254 –67.

Turner JA, Loeser JD, Deyo RA, Sanders S. Spinal cord stimulation for patients with failed back surgery syndrome or complex regional pain syndrome: a systematic review of effectiveness and complications. *Pain* 2004;108:137-47.

Mailis_Gagnon A, Furlan AD, Sandoval JA, Taylor R. Spinal cord stimulation for chronic pain. *The Cochrane Database of Systematic Reviews*. 2004, Issue 3. Art. No.: CD003783.pub2
DOI:10.1002/14651858.CD003783.pub2.

Grabow TS, Prabhav K, Tella MBBS, Raja SN. Spinal cord stimulation for complex regional pain syndrome: an evidence-based medicine review of the literature. *Clin J Pain* 2003;19:371-83.

Middleton P, Simpson B, Maddern G. Spinal cord stimulation (neurostimulation): an accelerated systematic review. *ASERNIP-S Report No. 43*. Adelaide, South Australia: ASERNIP-S, June 2003.

O'Brien MA, Wingerchuk D, Angle P, et al. Agency for Healthcare Research & Quality. Evidence Report/ Technology Assessment No. 45. Management of chronic central neuropathic pain following traumatic spinal cord injury. Chapter 6: Spinal cord and deep brain stimulation techniques. September 2001.

Turner JA, Loeser JD, Bell KG. Spinal cord stimulation for chronic low back pain: a systematic literature synthesis. *Neurosurgery* 1995;37:1088-96.

Randomized Controlled Trials

Kumar K, Taylor RS, Jacques L, Eldabe S, Meglio M, Molet J, Thomson S, O'Callaghan J, Eisenberg E, Milbouw G, Buchser E, Fortini G, Richardson J, North RB. The effects of spinal cord stimulation in neuropathic pain are sustained: a 24-month follow-up of the prospective randomized controlled multicenter trial of the effectiveness of spinal cord stimulation. *Neurosurgery*. 2008 Oct;63(4):762-70.

Kumar K, Taylor RS, Jacques L, Eldabe S, et al. Spinal cord stimulation versus conventional medical management for neuropathic pain: a multicentre randomised controlled trial in patients with failed back surgery syndrome. *Pain*. 2007;132:179-188.

North RB, Kidd DH, Farrokhi F, Piantadosi SA. Spinal cord stimulation versus repeated lumbosacral spine surgery for chronic pain: a randomized, controlled trial. *Neurosurgery* 2005;56:98-106; discussion 106-7.

North RB, Brigham DD, Khalessi A, et al. Spinal cord stimulator adjustment to maximize implanted battery longevity: a randomized, controlled trial using a computerized, patient-interactive programmer. *Neuromodulation* 2004;7:13-25.

Kemler MA, DeVet HC, Barendse GA, van Den Wildenberg FA, van Kleef M. The effect of spinal cord stimulation in patients with chronic reflex sympathetic dystrophy: two years' follow-up of the randomized controlled trial. *Ann Neurol* 2004;55:13-8.

North R, et al. Automated, patient-interactive, spinal cord stimulator adjustment: a randomized controlled trial. *Neurosurgery* 52:572-580, 2003.

Kemler MA, Barendse GA, van Kleef M, et al. Spinal cord stimulation in patients with chronic reflex sympathetic dystrophy. *N Engl J Med* 2000;343:618-24. Long-Term Follow-up Studies

Kumar K, Hunter G, Demeria D. Spinal cord stimulation in treatment of chronic benign pain: challenges in treatment planning and present status, a 22-year experience. *Neurosurg.* 2006;58:481-496.

North RB. Kidd DH. Zahurak M. James CS. Long DM. Spinal cord stimulation for chronic, intractable pain: experience over two decades. *Neurosurgery* 1993;32(3):384-94; discussion 394-95.

North RB. Ewend MG. Lawton MT. Kidd DH. Piantadosi S. Failed back surgery syndrome: 5-year follow-up after spinal cord stimulator implantation. *Neurosurgery* 1991;28(5):692-99.

Kumar K. Nath R. Wyant GM. Treatment of chronic pain by epidural spinal cord stimulation: a 10-year experience. *J Neurosurgery* 1991;75(3):402-7.

Prospective Cohort Studies

Krames ES, Oakley JC, Foster AM, Henderson J, Prager JP, Rashbaum RR, Stamatos J, Weiner R. Spinal cord stimulation has comparable efficacy in common pain etiologies. *Neuromodulation.* 2008;11(3):171-181.

Oakley, et al. A new spinal cord stimulation system effectively relieves chronic, intractable pain: a multi-center prospective clinical study. *Neuromodulation.* 2007;10(3):262-278.

Harke, et al. Spinal cord stimulation in sympathetically maintained complex regional pain syndrome type I with severe disability. A prospective clinical study. *Eur J Pain.* 2005 Aug;9(4):363-73.

Rainov NG, Heidecke V, Burkert W. Short test-period spinal cord stimulation for failed back surgery syndrome. *Minim Invas Neurosurg.* 1996;39:41-44.

Cost Analyses

Bala MM, Riemsma RP, Nixon J, Kleijnen J. Systematic review of the (cost-)effectiveness of spinal cord stimulation for people with failed back surgery syndrome. *Clin J Pain*. 2008 Nov-Dec;24(9):741-56.

Hornberger J, Kumar K, Verhulst E, Clark MA, Hernandez J. Rechargeable spinal cord stimulation versus nonrechargeable system for patients with failed back surgery syndrome: a cost-consequences analysis. *Clin J Pain*. 2008;24:244-252.

North RB, Kidd D, Shipley J, Taylor RS. Spinal cord stimulation versus reoperation for failed back surgery syndrome: a cost effectiveness and cost utility analysis based on a randomized, controlled trial. *Neurosurgery*. 2007;61(2):361-8; discussion 368-9.

Taylor R, Taylor R. Spinal cord stimulation for failed back surgery syndrome: a decision-analytic model and cost-effectiveness analysis. *Int Jour Technology Assess in Health Care*, 21:3 (2005), 351-358.

Mekhail NA, Aeschbach A, Stanton-Hicks M. Cost benefit analysis of neurostimulation for chronic pain. *Clin J Pain* 2004;20:462-8.

Taylor RS, Taylor RJ, Van-Buyten JP, et al. The cost effectiveness of spinal cord stimulation in the treatment of pain: a systematic review of the literature. *J Pain Symptom Manage* 2004;27:37-78.

Willis KD. A simple approach to outcomes assessment of the therapeutic and cost-benefit success rates for spinal cord stimulation therapy. *Anesthesiol Clin North America*. 2003;21:817-23.

Budd K. Spinal cord stimulation: cost-benefit study. *Neuromodulation* 2002;5:75-78.

Kemler MA, Furnee CA. Economic evaluation of spinal cord stimulation for chronic reflex sympathetic dystrophy. *Neurology* 2002;59:1203-09.

Kumar K, Malik S, Deneria D. Treatment of chronic pain with spinal cord stimulation versus alternative therapies: cost-effectiveness analysis. *Neurosurgery* 2002;51(1):106-116.

Straus BN. Chronic pain of spinal origin: the costs of intervention. *Spine*. 2002;27:2614-19; discussion 2620.

Bell GK, Kidd D, North RB. Cost-effectiveness analysis of spinal cord stimulation in treatment of failed back surgery syndrome. *J Pain Symptom Manage* 1997;13:286-95.